

## Final Review Spring 2019

1. Suppose that you wish to estimate a regression in deviations-from-means form. The deviations-from-means model is given by  $y_i = \beta x_i + \varepsilon_i$  and all standard assumptions hold (i.e,  $x_i$  is nonrandom,  $\mathbb{E}(\varepsilon_i) = 0$ ,  $var(\varepsilon_i) = \sigma^2$  for all  $i$ , and  $cov(\varepsilon_i, \varepsilon_j) = 0$  for all observations).
  - (a) Derive the Ordinary Least Squares (OLS) estimator  $\hat{\beta}^{OLS}$ . Show all work and simplify completely to receive full credit.
  - (b) Determine if  $\hat{\beta}^{OLS}$  is an unbiased estimator of  $\beta$ . Make sure to be clear about when you use an assumption, show all work, and simplify completely to receive full credit.
  - (c) Find the variance of  $\hat{\beta}^{OLS}$ . Make sure to be clear about when you use an assumption, show all work and simplify completely to receive full credit.

2. Consider the following assumptions:

$$A1 : y_i = 5(\mu + \varepsilon_i)$$

$$A2 : \mathbb{E}[\varepsilon_i] = 0 \text{ for all } i$$

$$A3 : \text{Var}(\varepsilon_i) = \sigma^2 \text{ for all } i$$

$$A4 : \text{Cov}(\varepsilon_i, \varepsilon_j) = 0 \text{ for } i \neq j$$

$$A5 : \varepsilon_i \sim \text{Normal}$$

Suppose you are interested in generating an estimate for  $\mu$ .

- (a) What is the expected value of the sample mean estimator,  $\hat{\mu} = \frac{1}{n} \sum y_i$ , under these assumptions? Is  $\hat{\mu}$  an unbiased estimator for  $\mu$ ? Show all work.
- (b) Derive the variance for the sample mean under these assumptions. Show all work.
- (c) Given your derivations thus far, and the assumptions listed above, what is the distribution of the sample mean?

3. You are asked to determine if the majority of the people of Westeros support Daenerys to sit on the Iron Throne. We know there are 25 million people in Westeros, let  $y_i$  equal 1 if a person supports Daenerys and 0 otherwise. Define  $d = \sum_{i=1}^{25,000,000} y_i$  to be the number of people in Westeros who support Daenerys and  $p = \frac{d}{25,000,000}$  to be the proportion of people who support Daenerys.  $p$  is the variable we want to learn.

We randomly choose with replacement 2 people and ask them if they support Daenerys. Let  $Y_1$  and  $Y_2$  denote these answers. We know that  $\mathbb{E}(Y_1) = p$  and  $V(Y_1) = p(1 - p)$  and  $\mathbb{E}(Y_2) = p$  and  $V(Y_2) = p(1 - p)$ . We also know that  $Y_1$  and  $Y_2$  are independent.

- (a) Is  $10Y_1 - 9Y_2$  a biased or unbiased estimator of  $p$ ? Justify each step in your derivation.
- (b) Compute  $V(10Y_1 - 9Y_2)$ . Justify all steps.
- (c) Suppose we randomly choose 3600 people and asked them if they support Daenerys. Let  $Y_1, Y_2, \dots, Y_{3600}$  denote the answers of these 3600 people. Assume that you find that  $\frac{1}{3600} \sum_{i=1}^{3600} Y_i = 0.48$ , meaning 48% of those polled support Daenerys. Compute the 95% confidence interval of  $p$ .

4. You want to know if tutors help students pass a class. To answer that question, you conduct a randomized controlled trial. You run an OLS regression of  $Y_i$  on a constant and  $D_i$ . Let  $\hat{\beta}_1$  denote the coefficient of  $D_i$  in that regression, this coefficient is the Average Treatment Effect (ATE). The ATE can be written as  $\frac{1}{n} \sum_{i=1}^n y_i(1) - \frac{1}{n} \sum_{i=1}^n y_i(0)$

(a) Prove that  $\hat{\beta}_1$  is an unbiased estimator of the ATE.